



LIST OF PRODUCTS

PO Box 31017, Sharjah, UAE • Tel. +971-6-532-1119 • Fax +971-6-532-8833

PO Box 91234, City of Industry, CA 91715-1234 USA • Tel. +1-909-266-0709 • Fax +1-909-266-0711

PO Box 925794, Amman 11110, Jordan • Tel. +962-6-487-4078 • Fax +962-6-488-9133

www.tex-crete.com • info@tex-crete.com

INDEX

1. Stamped Concrete
2. Decorative Plasters
3. Adhesive & Grouts
4. Bonding Agents
5. Flooring
 - ◆ Overlays
 - ◆ Floor Hardeners
 - ◆ Sealers & Curing Agents
 - ◆ Epoxies
 - ◆ Polyurethane
6. Stains & Dyes
7. Retarders
8. Release Agents
9. Concrete Repair
10. Waterproofing
11. Concrete Admixtures
12. Miscellaneous
13. Joint Sealant
14. Anti-Carbonation Coating System
15. Exclusive Distributors

S.No.	Product	Description & Usage	Packaging
1. STAMPED CONCRETE			
1	PaveCrete 200, Color Hardener	Dry shake color hardener for stamped concrete	35 kg paper bag
2	PaveCrete 300, Antique Release Agent	Powder release agent for stamped concrete	17.5 kg plastic pail
3	PaveCrete 400, Liquid Release Agent	Clear liquid release agent for stamped concrete; may be used in conjunction with PaveCrete 300 for antiquing.	5 gal. pail 55 gal. drum
4	PaveCrete 500, Integral Color	Coloring admixture, provides permanent, fade resistant, uniform, and streak-free integral color for all types of concrete.	Varies from color to color
5	A-Z Super Sealer, Clear Acrylic Sealer	A clear non-emulsified Ethyl Methacrylate resin for sealing porous surfaces with high abrasion resistance and non-yellowing effect.	1gal. 5 gal.pail 55 gal. drum
6	A-Z Super Sealer, Flat Clear Acrylic Resin Matt	Matt finishing version of A-Z Super Sealer.	1gal. 5 gal. pail 55 gal. drum
7	A-Z Super Sealer, Colored Acrylic Sealer	A colored, non-emulsified Ethyl Methacrylate sealer for sealing porous surfaces with high abrasion resistance and non-yellowing effect.	1 gal. 5 gal. pail
8	A-Z Mega Sealer, Acrylic Urethane Sealer	A unique high performance water based Acrylic Urethane Polymer, Satin finish.	1gal. 5 gal. pail 55 gal. drum
9	A-Z Ultra Sealer Solvent-Borne Acrylic Sealer	A high performance styrene acrylic resin, solvent-borne, floor coating providing a deep penetrating, non-yellowing, scuff resistant finish.	1gal. 5 gal. pail 55 gal. drum
10	ElastoCrete 210, Water-Based Polyurethane Coating	Liquid applied, single-component, water-based, low VOC, slip resistant, aliphatic polyurethane coating for waterproofing concrete surfaces.	10 liter pack
11	ElastoCrete 212, Water-Based Polyurethane Coating &Terrazzo Sealer	A liquid applied, two component, aliphatic, water- borne, low VOC, low viscosity, polyurethane coating for sealing, waterproofing and protecting concrete and masonry surfaces.	10 liter pack
12	EpoCrete 100 W, Clear Water Based Epoxy	A two-component, high solid-content epoxy resin floor coating that cures to a clear, glossy finish..	5 liter pack

S.No.	Product	Description & Usage	Packaging
2. DECORATIVE PLASTERS			
1	ArtCrete 200, Sparkling Wall Finish	Polymer modified cement interior/exterior wall finish containing sparkling glass chips to produce highly decorative glittering surfaces. Available in a wide range of colors and aggregates.	35 kg paper bag
2	ArtCrete 201T, Venetian Plaster Topcoat	Decorative thermoplastic wall coating that creates a highly burnish-able surface to produce the look of "Old World" plastered walls.	5 kg pail
3	ArtCrete 201B, Venetian Plaster Basecoat	Heavy bodied compound used to superimpose the substrate prior to application of Topcoat.	5 kg. 25 kg pail
4	ArtCrete 202, Stone Finish	High solids, extremely weather resistant acrylic wall coating available in a wide range of colors and aggregates.	25 kg pail
5	ArtCrete 555, Travertine Finish	A dry blend of marble powder, binders, colorants, and propriety chemicals that can be used for finishing interior and exterior walls and allows for the creation of seemingly endless range of textures and aesthetic effects.	35 kg pail
6	ArtCrete 700, Ready Mix Plaster	High performance Portland cement plaster applied in thickness of up to 50 mm commonly used as the second coat in three-coat plastering.	25 kg. paper bag
7	ArtCrete 701, Fine Coat Ready Mix Plaster	High performance Portland cement plaster applied in thickness of up to 20 mm commonly used as the final coat in two & three-coat plastering.	35 kg paper bag
8	ArtCrete 800, Colored Plaster	Colored Portland cement plaster, exterior/ interior finish coat applied in 5-20 mm thickness as a final coat to produce a decorative wall finish.	35 paper bag
9	ArtCrete 801, Colored Stucco Finish (Coarse, Medium, Fine)	Polymer modified cementitious coating unparalleled in adhesion, flexibility, and weathering. Highly decorative with endless application possibilities including stamping and staining. Applied in 2-20 mm thickness on numerous substrates.	35 kg paper bag
10	ArtCrete 900, Lightweight Render	Uncolored high performance lightweight plaster for render, and brown coats applied in thickness of up to 200 mm in a single coat.	20 kg paper bag
11	ArtCrete 901, Decorative Lightweight Plaster ¹	Colored lightweight decorative plaster applied in 10-100 mm thickness, with outstanding workability and performance.	25 kg paper bag
12	ArtCrete 902, Renovation Plaster	Colored lightweight decorative plaster used for the renovation of old buildings with outstanding breathability and resistance to efflorescence.	25 kg paper bag
13	ArtCrete 903, Marblecrete Bedding Mortar	Colored lightweight Portland cement based plaster applied from 10-15 mm embedded with crushed stone or marble.	25 kg paper bag
14	ArtCrete 904, Thermal Insulation	Polymer modified cement lightweight plaster applied in 10-100mm. thickness, with outstanding workability and thermal insulation for buildings skin.	25 kg. Paper bag
15	ArtCrete 905, Acoustic Ceiling (Coarse, Medium, Fine)	Colored lightweight polymer modified cementitious spray grout for ceilings with excellent sag resistance properties.	15 kg. paper bag

S.No.	Product	Description & Usage	Packaging
2. DECORATIVE PLASTERS			
16	FoamFix ST, Adhesive & Leveling Compound	Polymer modified cementitious compound used to adhere expanded polystyrene board to concrete, block, brick, and stucco. Also used to embed and level reinforcing mesh as part of the E.I.F.S.	25 kg paper bag
17	FoamFix XT, EIFS Adhesive & Leveling Compound	High performance polymer modified, fiber reinforced cementitious compound used to adhere expanded polystyrene board to concrete, block, brick, and stucco. Also used to embed reinforcing mesh and as high build crack resistant leveling coat.	25 kg paper bag
18	DashCrete Splatter Dash Coat	A single component, fiber reinforced cement-based dash coat, polymer modified product with excellent bonding properties commonly used as the first coat of two & three-coat plastering.	35 kg paper bag

S.No.	Product	Description & Usage	Packaging
3. ADHESIVES & GROUTS			
1	ArtGrout 300, Non-Sanded Tile Grout	Colored tile grout for joints up to 5 mm wide.	5 kg. 25 kg bag
2	ArtGrout 301, Sanded Tile Grout (Fine, Medium, Coarse)	Colored tile grout for joints 3-12 mm wide, containing round quartz pebbles for a textured finish.	5 kg. 25 kg bag
3	ArtGrout 302, Marble & Granite Grout	A polymer - modified special grout used for filling 1 mm to 3 mm wide marble & granite fine joints.	5 kg. 25 kg bag
4	ArtGrout 303, Pool Tile Grout	High performance tile joint grout for pools, bathrooms, and exposed areas.	5 kg. 25 kg bag
5	ArtGrout 304, Wide Joint Tile Grout	Special grout for joints up to 20 mm wide.	25 kg paper bag
6	ArtGrout 306, Masonry Mortar	Special colored grout for block and brick laying for thickness of 3 mm-15 mm.	35 kg paper bag
7	ArtGrout 400, Tile Bedding Mortar	Tile bedding grout for setting stone, brick, and various pavers over a compacted sub-grade.	35 kg paper bag
8	FixGrout Thin Set Mortar	An economical, Portland cement-based, polymer-fortified, thin-set tile adhesive.	25 kg plastic pail
9	ZeitaFix, Thin Set Tile Adhesive	Cementitious polymer modified adhesive for wall & floor commercial & industrial tiling.	(Grey) 25kg Bag (white) 25 kg bag
10	MegaFix, Pool Tile Adhesive	High performance flexible cementitious adhesive for swimming pools.	25 kg paper bag
11	BondCrete, Bonding Slurry	A premium, single component, polymer modified, cement-based bonding slurry.	25 kg paper bag
12	BondCrete EP, Epoxy Bonding Slurry	A two-component, epoxy resin bonding slurry.	5 kg pack
13	MortCrete AB05, High Performance Epoxy Tile Grout	High performance two component solvent free epoxy grout for bedding and grouting tiles in corrosive exposures.	5 kg pack
14	MortCrete AB10 High Performance Hygienic Epoxy Tile Grout	High performance three component solvent free epoxy grout for bedding and grouting tiles in corrosive exposures.	5 liter container
15	FoamFix ST Adhesive & Leveling Compound	Polymer modified cementitious compound used to adhere expanded polystyrene board to concrete, block, brick, and stucco. Also used to embed and level reinforcing mesh as part of the E.I.F.S.	25 kg paper bag
16	FoamFix XT, E.I.F.S. Adhesive & Leveling Compound	High performance polymer modified, fiber reinforced cementitious compound used to adhere expanded polystyrene board to concrete, block, brick, and stucco. Also used to embed reinforcing mesh and as high build crack resistant leveling coat.	25 kg paper bag

S.No.	Product	Description & Usage	Packaging
4. BONDING AGENTS			
1	A-Z Strong Bond, Bonding Agent	Vinyl Ethylene copolymer for bonding and increasing the strength of cementitious materials.	20 liter pail 55 gal. drum
2	A-Z Super Bond, Bonding Agent	Styrene Acrylic copolymer for bonding and increasing the strength of cementitious materials.	20 liter pail 55 gal. drum
3	A-Z Mega Bond, Bonding Resin	Pure Acrylic polymer specifically designed as an admixture for cement based products with outstanding waterproofing properties.	20 liter pail
4	A-Z Hi Bond	SBR Copolymer, which provides bonding and strength of cementitious products.	20 liter pail
5	A-Z Prime Bond Aqueous Dispersion Primer	A non-plasticized aqueous dispersion based on acrylic and methacrylic acid esters and styrene primer for porous substrates like concrete, plasters, and gypsum.	20 liter pail
5. FLOORING Overlays			
1	BondCrete Bonding Slurry	A premium quality, single component, polymer modified, cement-based slurry with excellent bonding properties.	25 kg paper bag
2	TopCrete 220, Micro Topping	High performance single component polymer fortified cementitious micro topping.	20 kg plastic pail
3	TopCrete 600, Overlayment Screed	Polymer & fiber reinforced screed for over topping existing flooring in thin layer to produce high impact and wear resistant surface. Applied in thickness of 15-30 mm.	35 kg paper bag
4	TopCrete 601, Colored Overlayment	Colored, polymer modified cementitious material applied as overlayment in thickness of 6 mm – 15 mm, finished in various techniques including stamping.	35 kg paper bag
5	TopCrete 700, Exposed Aggregate Overlay	Colored polymer modified cementitious material applied as overlayment in thickness of 10 mm – 25 mm, then exposed to show the colored aggregate.	35 kg paper bag
6	TopCrete 710, Terrazzo Overlayment	Colored polymer modified cementitious material applied as overlayment in thickness of 10 mm-25 mm, then polished to simulate terrazzo finishes.	35 kg paper bag
7	TopCrete 711, Crystal Inlay Topping	A balanced mix containing colored chips of marble, granite, stone or any type of aggregates and propriety chemicals.	35 kg bag
8	TopCrete 790, In-Situ Sports Flooring	It is a three-pack system composed of a two- component polyurethane matrix and colored Ethylene Propylene Diene Monomer (EPDM) granules.	A base coat kit includes 1.8 kg of polyurethane binder (two component) and 9 kg of EPDM granules
9	LevelCrete 900, Self-Leveling Underlay	Single component, uncolored, flowable, self-leveling cementitious underlay for leveling and correcting construction errors and level.	25 kg paper bag
10	LevelCrete 901, Self-Leveling Overlay	Single component, uncolored, flowabl, self-leveling cementitious overlay for leveling and correcting construction errors and level.	25 kg. bag
11	CrystalCrete Epoxy Glass Terrazzo	A 100% glass, epoxy based terrazzo system that is composed of a three-pack system containing a high performance, two-component epoxy matrix, glass aggregates, and fillers.	25 kg kits
12	MarbleCrete Epoxy Terrazzo	A three-pack system composed of a thin-set, two-component epoxy matrix, fillers, and decorative aggregates.	25-32 kg kits depending on the type of aggregate used

S.No.	Product	Description & Usage	Packaging
5. FLOORING Floor Hardners			
1	PaveCrete 100, Basalt Based Floor Hardener	Dry shake floor hardener based on basalt aggregates heavy duty industrial floors. Also available in colored.	35 kg paper bag
2	PaveCrete 101, Silica Based Floor Hardener	Non-metallic surface dry shake applied floor hardener designed for use in light to medium duty flooring.	35 kg paper bag
3	PaveCrete 103, Emery Based Floor Hardener	Dry shake floor hardener based on emery aggregates heavy duty industrial floors. Also available colored.	35 kg paper bag
4	PaveCrete 200, Color Hardener	Dry shake color hardener for freshly poured concrete.	35 kg paper bag
5	PaveCrete 700, SandCrete Finish	A dry shake for freshly paved concrete containing small decorative aggregates that we exposed to produce a lightly textured surface.	35 kg bag
6	SoliCrete PA, Acrylic Copolymer Soil Stabilizer	A ready-to-use, water-soluble, synthetic polyvinyl acetate acrylic copolymer emulsion.	20 liter container
7	A-Z 103, Acrylic Copolymer Soil Stabilizer	A ready-to-use liquid floor densifier, hardener, and dust proofer, based on a water-soluble blend of sodium silicate synthetic resins.	20 liter pail 200 liter drum

S.No.	Product	Description & Usage	Packaging
5. FLOORING Sealers & Curing Agents			
1	A-Z Super Sealer, Clear Acrylic Sealer	A solvent - borne clear non-emulsified Ethyl Methacrylate resin for sealing porous surfaces with high abrasion resistance and non-yellowing effect. Glossy or Matte finish.	20 liter pail 200 liter drum
2	A-Z Mega Sealer, Water Based Sealer	A unique high performance Acrylic Urethane Polymer, Satin finish.	20 liter pail 200 liter drum
3	A-Z Penetrating Sealer LS, Masonry Water Repellent	An aqueous solution of potassium methyl silicate that impregnates porous mineral-based materials.	20 liter pail 200 liter drum
4	A-Z Penetrating Sealer SB, Masonry Water Repellent	A silicone sealer based on silane/siloxane diluted in organic solvents that impregnates porous surfaces.	20 liter pail 200 liter drum
5	A-Z Penetrating Sealer WB, Masonry Water Repellent	A water-based, solventless, silane/siloxane emulsion, deep-penetrating water repellent.	20 liter pail 200 liter drum
6	A-Z Penetrating Sealer OS, Penetrating Stain Repellent	A solvent-based mixture of silane, siloxane, and synthetic resins designed for post-treatment application to masonry and other construction materials.	20 liter pail
7	A-Z Penetrating Sealer OW, Penetrating Stain Repellent	A water-based mixture of silane, siloxane, and synthetic resins designed for post-treatment application to masonry and other construction materials.	20 liter pail
8	A-Z Penetrating Sealer SMK, Masonry Water Repellent	A solvent-free, water soluble microemulsion concentrate based on silanes and siloxanes.	20 liter pail 200 liter drum
9	A-Z Ultra Sealer Solvent-Borne Acrylic Sealer	A high performance styrene acrylic resin, solvent-borne, floor coating providing a deep penetrating, non-yellowing, scuff resistant finish.	20 liter pail 200 liter drum
10	A-Z Hydro Seal, Water Based Acrylic Sealer	A water based acrylic sealer for protecting horizontal and vertical surfaces. 20 liter pail	20 liter pail
11	A-Z 100, PVA Curing Compound	A water based polyvinyl acetate concrete curing compound.	20 liter pail
12	A-Z 101, Work Emulsion Curing Compound	A water-based work emulsion concrete curing compound.	20 liter pail
13	A-Z 103, Surface Hardener and Sealer	A water-soluble blend of Sodium Silicate synthetic resins for densifying, hardening, and dust proofing concrete surfaces.	20 liter pail

S.No.	Product	Description & Usage	Packaging
5. FLOORING Epoxies			
1	EpoPrime EP / EP1, Epoxy Floor Primer	A solvent-based, clear, low viscosity epoxy floorprimer. EP grade for high solid content; EP1 for economical alternative.	5 kg. pack EP 1 in 13 L.
2	EpoPrime 100, High Build Epoxy Floor Primer	A clear, solvent-free, low viscosity epoxy floor primer formulated with special additives to achieve a higher film thickness.	5 kg. pack
3	EpoCrete 100 W, Clear Water Based Epoxy	A two-component, high solid-content epoxy resin floor coating that cures to a clear, glossy finish.	5 liter pack
4	EpoCrete 100 HB, Clear Epoxy Coating	Clear epoxy binder and base coat for binding decorative aggregates.	5 liter pack
5	EpoCrete 150, Solvent-Based Epoxy Floor Coating	A two component, solvent based epoxy resin floor coating. It is used as a final coating and sealer for concrete floors and as finish coat for epoxy floor screeds.	20 kg. pack
6	EpoCrete 150LM Epoxy Line Marking Coating	A liquid applied, two components high solid content epoxy line marking coating.	10 kg pack
7	EpoCrete 180, Non-Toxic Epoxy Protective Coating	Two-component, solvent free, non-toxic, colored, high build epoxy coating with excellent chemical and abrasion resistance.	5 kg pack
8	EpoCrete 200, High Solids Epoxy Floor Coating	A high performance, two component, high solid content epoxy resin floor coating.	14 liter pack
9	EpoCrete 250, Solvent Free Epoxy Floor Coating	A high performance, two-component, solvent-free epoxy floor coating that cures to a colored glossy finish in 250 microns DFT.	18 liter pack
10	EpoCrete 250W, Water Based Epoxy Floor Coating	A high performance, two component, water based epoxy resin floor coating in 250 microns DFT.	5 kg. pack
11	EpoCrete 400, High Build Epoxy Floor Coating	A high performance, two-component, high build, solvent-free epoxy floor coating with extreme impact and abrasion resistance in 400 microns DFT.	14 liter pack
12	EpoCrete 500 N, Novolac Epoxy Coating	Two-component high build highly chemical resistant coating.	4 liter pack
13	EpoCrete 1000, Colored Quartz Epoxy Overlay	A trowel-applied, three-component system composed of colored quartz aggregates and solvent-free clear epoxy applied in 1-5 mm thickness.	17 kg. pack
14	EpoCrete 1000G, Glass Carpet Overlay	Three-component system composed of colored glass beads & solvent-free clear epoxy.	17 kg. pack
15	EpoCrete 2000, Solvent-Free FlowableEpoxy Overlay	A gauge rake-applied high performance, three-component, high solid content, flowable epoxy overlay. Applied in 10 mm thickness.	8 liter pack
16	EpoCrete 2000P, Pearl Epoxy	Pearlescent Epoxy coating to provide a highlydecorative finish.	5 liter and 10 liter pack.
17	EpoCrete 2000W, Water Based High Build Coating	Water based high build self-leveling epoxy floor coating in up to 200 microns.	8 liter pack

S.No.	Product	Description & Usage	Packaging
-------	---------	---------------------	-----------

5.

FLOORING Epoxies

18	EpoCrete 3000 GF, Solvent Free Glass Reinforced Epoxy Floor Coating	8 liter pack Reinforced high solid epoxy resin, formulated to simulate terrazzo finishes, provides a high performance of impact resistance and wearing abrasion.	8.0 lit. pack
19	EpoCrete Screed 5000, Heavy Duty Epoxy Flooring Screed	A high performance, three components, 5.0 mm–10 mm. thickness application epoxy flooring screed. It forms a hard build screed with excellent adhesion to concrete, and abrasion resistance.	23 kg. pack

5.

FLOORING Polyurethane

1	ElastoCrete 100 Pitch-modified PU	Coaltar based single component polyurethane for wet area water proofing.	20 liter
2	ElastoCrete 201 Single Component Polyurethane Waterproofing Coating	A single component, moisture cured polyurethane waterproofing coat.	15 liter pail
3	ElastoCrete 202 Two-Component Polyurethane Waterproofing & Priming Coat	Two-component solvent free polyurethane, liquid applied coating provides slip resistant, chemical, abrasion resistant and completely waterproof floor finish.	15 kg kit
4	ElastoCrete 210, Water-Based Polyurethane Coating	Liquid applied, single-component, water-based, low VOC, slip resistant, aliphatic polyurethane coating for waterproofing concrete surfaces.	10 liter pack
5	ElastoCrete 212, Water Based Polyurethane Clear Sealer	A liquid applied, two components, aliphatic, water-borne, low VOC, low viscosity, polyurethane coating for sealing, waterproofing and protecting concrete and masonry surfaces.	10 liter pack
6	ElastoCrete 222 Water Based Polyurethane Top Coat	A liquid applied, two components, aliphatic, water borne, low VOC, low viscosity, aliphatic colored polyurethane coating for sealing, waterproofing and protecting concrete and masonry surfaces.	10 kg pack
7	ElastoCrete 300 Rubber Based Floor Coating	Chloronated rubber based floor coating for Asphalt pavement.	pavement. 15 liter pack
8	ElastoCrete 302L, Polyurethane Line Marking	A liquid applied, two-component, flexible, high solids content, castor oil based polyurethane coating specially formulated with high quality, weather fast pigments for line marking.	10 kg pack
9	ElastoCrete 4000, Two Component Polyurethane Top Coat	Liquid applied, two-component, flexible, high solid, aliphatic polyurethane top coat used as a top coat in a traffic deck coating system.	15 liter pack
10	ElastoCrete 5000, Waterproofing Polyurethane Floor Coating	A liquid applied, two-component, flexible, high solid content, polyurethane floor coating for waterproofing and coating parking decks and concrete floors.	12.5 liter pack
11	ElastoCrete 6500, UV Resistant Polyurethane Heavy Duty Traffic Deck Coating	A two component liquid applied high solid aliphatic polyurethane content. A multi-layer tough flexible	18 liter pack

S.No.	Product	Description & Usage	Packaging
6. STAINS & DYES			
1	ChemStain, Acid Based Stain	A ready to use acidic penetrating compound that reacts with cured concrete to provide permanent color tones. It is used to transform the ordinary appearance of concrete into the aged and rich look of ancient stone, marble or granite.	1 gal. 5 gal. pail
2	HydroStain, Water Based Stain	A ready to use waterborne, environmentally friendly, low VOC, deep penetrating compound designed for staining cementitious surfaces by a chemical reaction. May be applied on integrally colored, color hardened, and uncolored concrete surfaces and plasters to produce coloring effects ranging from opaque to translucent.	1 gal. 5 gal. pail
3	NitroDye, Solvent-Based Concrete Dye	A ready to use deep penetrating proprietary mix of dyes and solvents designed to give concrete and cement based surface a vibrant and translucent color. It does not act like paint; the colors produced are translucent, variegated and mottled in nature.	1 liter container 1 gal container 5 gal pail
7. RETARDERS			
1	ExpoCrete 711, Concrete Surface	Positive Surface Retarder To Expose aggregates at the top side of pre-cast panels or slab on grade.	20 ltr. Plastic pail
2	ExpoCrete 712, Concrete Base Retarder (Solvent Base)	Negative surface retarder to expose aggregates at the lower side of pre-cast panels in the mould.	5 gal. plastic pail
3	ExpoCrete 713, Concrete Base Retarder (Water Base)	Negative surface retarder to expose aggregates at the lower side of pre-cast panels in the mould.	20 kg. plastic pail
8. RELEASE AGENTS			
1	A-Z Shutter Release	Steel, wood, or plastic concrete form release.	5 gal. pail 55 gal. drum
2	PaveCrete 400, Liquid Release Agent	Clear liquid release agent for stamped concrete; may be used in conjunction with PaveCrete 300 for antiquing.	5 gal. pail 55 gal. drum

S.No.	Product	Description & Usage	Packaging
9. CONCRETE REPAIR			
1	PatchCrete 100, Skim Coat Repair	Cementitious polymer modified and shrinkage compensated material for repair and finishing fair-faced concrete.	25 kg paper bag
2	PatchCrete 101, Multi-Use Repair Mortar	Cementitious polymer modified, shrinkage compensated, all-purpose concrete repair grout. Available in fine, medium and coarse.	25 kg paper bag
3	PatchCrete 102, Crack Filler	High performance, very fine, concrete repair grout for repairing fine cracks.	25 kg paper bag
4	PatchCrete 104, Lightweight Concrete Repair Mortar	A single component lightweight concrete and masonry repair mortar suitable for general purpose concrete and masonry repairs.	25 kg paper bag
5	PatchCrete 601, Non-Shrink Structural Grout.	Non-Shrink grout for use under base plate and anchor bolt filling.	35 kg paper bag
6	PatchCrete 602, Non-Shrink Structural Grout.	High performance expansive grout for filling column and machinery basis.	35 kg paper bag
7	PatchCrete 605 Cable Grout	Pre-based, non-shrink cementitious grout admixture for post tensioned cables	35 kg. bag
8	PatchCrete 610, Water Plug	Hydro sized cementitious grout with quick drying properties for underwater repair.	5 kg bag
9	MortCrete 3000 Epoxy Mortar High Strength Epoxy Mortar for Surface Preparation 10 kg. pack	High Strength Epoxy Mortar for Surface Preparation.	10 kg. pack
10	MortCrete 5000, High Strength Epoxy Grout	A high strength, flowable, three component, solvent free epoxy grout specifically formulated for applications where high chemical resistance and high dynamic and static load bearing are required.	15 liter kit

S.No.	Product	Description & Usage	Packaging
10. WATERPROOFING			
1	ProofCrete 700 Acrylic Waterproofing Membrane	A cold applied acrylic elastomer that cures to a permanently flexible membrane over a variety of surfaces.	1 gal 5 gal. pail
2	ProofCrete 704, Acrylic Waterproofing Membrane	A high solid content cold applied acrylic elastomer that cures to a permanently flexible membrane over a variety of surfaces.	1 gal 5 gal. pail
3	ProofCrete 709, Two Component Cementitious Waterproofing	Two component cementitious waterproofing membrane brushed or sprayed on concrete and masonry building exterior.	20 kg bag (Part A) + 1 gal container (Part B)
4	ProofCrete 710, Waterproofing Coating	Single component cementitious waterproofing membrane brushed or sprayed on concrete and masonry building exterior.	25 kg paper bag
5	ProofCrete 711, Waterproofing Coating By Crystallization	A cement-Based, cold-applied membrane that densifies and blocks the porous concrete surface by crystallization.	1kg. 6 kg. 12 kg bag
6	ArtGrout 713, Waterproofing Admixture (Concentrated)	An additive in powder form to concrete and mortar for waterproofing concrete tanks, retaining walls and sanitary installations.	
7	ProofCrete 715, Waterproofing Mortar	A ready to use, a blend of silica fume, a non-shrink agent, super plasticizer, a selected graded hydraulic cement, and other additives.	20 liters pail 200 liters drum
8	ProofCrete RB, Rubberized Bitumen Emulsion Protective Coating	It is a cold applied, highly rubberized, polymer modified liquid blend of selected bitumens emulsified with water to give an easily applied protective coating.	PatchCrete 101 , 35 kg. bag ArtGrout 601 , 35 kg. bag FlexCrete 500 , 10.0 lit.
9	EpoCrete 750 RC, Pile Head Reprofilling and Capsulation System	A multi-component for pile head treatment and encapsulation system. It has been designed as a re-profiling and encapsulation of pile's head and protective coating for retaining walls below ground level.	10 lit. pack
10	FlexCrete 400, Epoxy Polysulfide Elastomeric Coating for Water Tanks	Two component epoxy polysulfide based elastomeric coating with excellent chemical and abrasion resistance. Formulated for non-toxicity and anti-fungal properties for use in potable water tanks.	10 lit. pack
11	FlexCrete 500, Epoxy Polysulfide Elastomeric Coating For Sewage Tanks	Two component epoxy polysulfide protective coating. Formulated for the high chemical resistance required in sewage tank applications.	10 liter pack
12	12 EpoCrete 300CT, Coal Tar Epoxy	Coal tar modified epoxy coating for foundations, manholes, sewage tanks and tunnels.	15 liter pail
13	ElastoCrete 201 Single Component Polyurethane Waterproofing Coating	A single component coating specially formulated for moisture cured polyurethane waterproofing.	15 kg kit
14	ElastoCrete 202 Two-Component Polyurethane Waterproofing & Priming Coat	Two-component polyurethane, liquid applied coating provides slip resistant, chemical, abrasion resistant and completely waterproof floor finish, special aggregates with color gives a textured finish to the surface.	18 liter kit
15	ElastoCrete 203 Two-Component Polyurethane Based	Two-component, liquid applied, coal tar free, high build (600 microns DFT) elastomeric polyurethane coating for waterproofing concrete surfaces water exposure.	

S.No.	Product	Description & Usage	Packaging
11. CONCRETE ADMIXTURES			
1	Power Pozz Concrete Additive For Early High Strength	An additive to concrete and other cementitious mixes which will produce higher mix strength, durability and workability.	20 kg bag
2	A-Z-D7 Non-Shrink Admixture	Dry powdered admixture added to cementitious material to compensate for drying shrinkage of cement mixes.	20 kg bag
3	ArtGrout 350, Quick Setting Admixture	An additive to concrete mixed to accelerate setting and to prevent segregation of aggregates.	5 kg. bag
4	Air Minus Defoamer and Air Detainer	A dry powdered defoamer for use in dry blended materials, or for wet/plastic concrete. It decreases foaming and minimizes air entrainment in cement slurries, grouts, concrete and mortars.	1 kg 10 kg bag
5	Super 5, Super Plasticizer Admixture	Dry powder admixture for concrete and mortar for reducing water/cement by 25%.	20 kg bag
6	Super 7, Super Plasticizer Admixture	Dry powder admixture for concrete and mortar for reducing water/cement by 40%.	20 kg bag
12. MISCELLANEOUS			
1	1 A-Z- PF 3	3mm polypropylene fibers added to mortar mixes to control shrinkage cracks.	15 kg box
2	2 A-Z- PF	6mm polypropylene fibers added to mortar mixes to control shrinkage cracks.	500 gram pouch
3	3 A-Z- PF 12	12mm polypropylene fibers added to mortar mixes to control shrinkage cracks.	600 gram pouch
13. JOINT SEALANTS			
1	ActFlex PU Polyurethane Joint Sealant	UV resistant and high movement capacity for building and civil engineering construction.	600 ml. sausage
2	ActFlex SIL N Silicone Joint Sealant	Interior and exterior application in general construction, roofing and sealing of expansion joints.	600 ml. sausage
3	ActFlex PS Polysulfide Joint Sealant	Two-part polysulfide sealant which resists most aqueous solutions alkalis and many chemicals.	4 liter set
4	ActFlex Cryl Acrylic Overpaintable Joint Sealant	General purpose joint mastic and crack repair filler for interior and exterior use .	20 kg. kit
5	Nullifier Fire Resistant Acoustic Acrylic Sealant	Single part water based fire resistant acrylic sealant.	310 ml sausage

S.No.	Product	Description & Usage	Packaging
-------	---------	---------------------	-----------

14. ANTI-CARBONATION COATING SYSTEM

1	PrimeCrete S Silane Primer and Sealer	Ready to use water based silane based emulsion that deeply penetrates the pores of concrete.	20 liter pail
2	A-Z Levelling Compound Leveling Compound	Base coat. Acrylic base putty for filling cavities and undulations (cracks, joints)	10 kg
3	TopCrete 104 Protective Coating for Concrete Masonry	A unique blend of selected synthetic acrylic resins and water – soluble inorganic silicate for new and aged concrete.	5 gal. pail

15. EXCLUSIVE DISTRIBUTOR

1		Rubber stamps for concrete texturing – Brickform, USA	
2		Tools for concrete finishing – Roseborough, USA	
3		Polypropylene Fiber – Reliance, India	
4		Coloring Pigment – Synox, China	
5		Grinding and Polishing Machines – Terrco, USA	
6		Industrial Vacuum Machines – Ermator, USA	
7		Metakaoulin admixture – Powerpozz, USA	
8		Fiber Glass Mesh – Tolnatek, Germany	
9		E.I.F.S Accessories – TRK Fastening, Turkey	