




# **TopCrete 601**

**Stampable Overlay**

## TOPCRETE

### Quick and easy resurfacing.

Turn ordinary concrete or tiled surfaces into an attractive textured surface quickly and easily. TopCrete 601 simulates stamped concrete without the need to remove existing surfaces. Simply overlay in up to 25 mm thickness and texture with a compatible CCC texturing matt with the aid of PaveCrete 300 Antique Release Agent or PaveCrete 400 Liquid Release.





Ferrari World, Abu Dhabi



Cucina Mia, Dubai

Spectacular performance enabled by the addition of advanced polymers, allowing thin applications over existing surfaces without the need for removal, simulating the appearance of natural stone pavers, tiles, wood, and slate.



Private Residence, Amman, Jordan

# TopCrete 601

## STAMPABLE OVERLAY

### Description

TopCrete 601 is a cement-based, polymer modified, colored topping designed to simulate natural stone pavers, cobble, tile, wood, and slate. TopCrete 601 is the ideal product where a stamped concrete finish is desired but there not enough thickness to cast regular concrete. Applied in thicknesses of featheredge up to 25 mm (10-12 mm typical), TopCrete 601 eliminates the need to remove existing flooring or breaking up concrete. Applied in thicknesses of featheredge up to 25 mm (10-12 mm typical), TopCrete 601 eliminates the need to remove existing flooring or breaking up concrete. Texture with a compatible CCC stamping tool with the aid of PaveCrete 300 Antique Release Agent or PaveCrete 400 Liquid Release. Seal with a recommended CCC sealer to bring out the color and protect against staining.

### System Detail



1. Concrete substrate.
2. BondCrete.
3. ShieldCrete mesh (Optional).
4. TopCrete 601.
5. Sealer coat.

### Advantages

- ✓ Eliminates the need to remove existing surfaces.
- ✓ Single component: just add water.
- ✓ Durable and abrasion resistant.
- ✓ Integrally colored in 40 different choices.
- ✓ Applied in small thickness: featheredge to 25 mm.
- ✓ Does not require joints.
- ✓ Self curing.



Ferrari World, Abu Dhabi



PO. BOX 91324, City of Industry  
California 91715 - 1324, USA  
TEL. +909 266-0711, FAX: +909 266-0711

PO. BOX 31017, Sharjah, UAE  
TEL. +971-6 532-1119, FAX: +971-6 532-8833

PO. BOX 925794, Amman, 11190, HKJ  
TEL. +962-6 487-4078, FAX: +962-6 488-9133

[www.tex-crete.com](http://www.tex-crete.com) / [www.creativeconcrete.co](http://www.creativeconcrete.co)  
[info@tex-crete.com](mailto:info@tex-crete.com)